

Arbiton
FLOOR EXPERT



FLOOR PROFILES

www.arbiton.com

MORE THAN... FLOOR PROFILES

Innovation, quality and know-how. Since 1994 we've been investing in knowledge, technology and our machinery park.

We aim to become market LEADER wherever we are present. We are pushing forward and strive for more to deliver accessories perfectly matched to the products.



WE TRY HARDER, WE ARE
THE FLOOR EXPERT




DESIGN

Every year A.DESIGN STUDIO analyzes trends, changes in consumer preferences and hundreds of new floor colors. That's why we can create customer orientated solutions and stay relevant.

TECHNOLOGY

Our inhouse laboratory is testing hundreds of floors from all major manufacturers to improve our accessories and create functional floor system. That's why, we know the strongest and weakest points of all types of floors. We are also testing our underlays to deliver top quality solutions for different floor types.




MANUFACTURE

We are an European leader for production of floor accessories. Our technological development allows us to offer great portfolio of products in various technologies.

COLOR SYSTEM

Four universal shapes and 35 colors matched for the most popular floors and Arbiton skirting boards.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
COLOR SYSTEM PROFILES										
NEW COLORS	CS30	30 mm	+	+	-	+	+	24 mm	6 mm	14
	CS37	37 mm	+	+	-	+	+	31 mm	17 mm	16
	CS22	22 mm	+	+	-	-	+	16 mm	-	18
	CS25	25 mm	+	+	-	-	+	20 mm	-	20



PRO SYSTEM


Precise, minimalistic solution for professionals, 8 shapes correspond to 99% of needs.


	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
PRO SYSTEM PROFILES										
	PRO20	20 mm	-	-	+	-	+	10 mm	-	24
	PRO T	22mm	-	-	+	-	+	16 mm	-	25
	PRODUO22	22 mm	-	-	+	+	+	16 mm	-	26
	PRO26	26 mm	-	-	+	-	+	10 mm	6 mm	27
	PRO38	38 mm	-	-	+	-	+	32 mm	16 mm	28
	PRODUO38	38 mm	-	-	+	+	+	32 mm	16 mm	29
	PRO L	15/20 mm	-	-	+	-	+	15 mm	-	30
NEW	PRO S1	5,5 mm	-	-	+	+	+	-	-	32
NEW	PRO S2	12/4,5 mm	-	-	+	+	+	-	-	33




COMPLEMENTARY OFFER

Traditional shapes, proven solutions.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
FOR THE FLOORS AT THE SAME LEVEL										
	T16	16 mm	+	+	-	-	+	10 mm	-	36
	FL16	16 mm	+	-	-	-	+	10 mm	-	37
	SM1	30 mm	+	+	-	+	-	24 mm	-	38
	PR3	30 mm	-	+	-	+	-	24 mm	-	39
	PR3K	30 mm	+	+	-	-	+	24 mm	-	40

LEVELING PROFILE FOR MISMATCHING FLOORS										
	PR8	38 mm	-	+	-	+	-	32 mm	10 mm	41
	SM2	41 mm	+	+	-	+	-	35 mm	13 mm	42
	SM3	47 mm	+	+	-	+	-	41 mm	17 mm	43
	PR4	48 mm	-	+	-	+	-	42 mm	14 mm	44
	PR10	70 mm	-	+	-	+	-	64 mm	10 mm	45

STAIRS PROFILES										
	CS2	25 mm	+	+	-	-	+	-	-	46
	PS2	25 mm	-	+	-	+	-	-	-	47
	PS8	40 mm	-	+	-	+	-	-	-	48
	PS6	46 mm	-	+	-	+	-	-	-	49



COLOR SYSTEM

THE MOST UNIVERSAL SYSTEM OF FLOOR PROFILES

PERFECTLY MATCHED PROFILES AND SKIRTING BOARDS

We are offering a range of 35 colors matched to the best-selling laminated panels and vinyl click floors in COLOR SYSTEM profiles collection, created to fulfill DIY customer needs. The offer is directed to self-service points and professionals looking for exact match of floor and accessories. COLOR SYSTEM is the certainty of a valuable choice. The one, that has never been so simple.

Now you can choose a skirting boards and profile in the same color.



Profiles from COLOR SYSTEM collection are matched to all slats from the INDO, LARS, MACK and VIGO collections

INDO



LARS



MACK




VIGO



COLOR SYSTEM

Colors available in THE COLOR SYSTEM OF FLOOR PROFILES



COLOR SYSTEM

PERFECT MATCH

INDO

PERFECTLY
IMITATING
THE REAL
WOOD



LARS

THE IDEAL
COLOUR
AND DESIGN
MATCH




MACK

WIDE
INSTALLATION
CHANNEL



VIGO

HYBRID
SKIRTING




SKIRTING COLORS CORRESPONDING TO PROFILES COLORS

PROFIL CS	INDO	LARS	MACK	VIGO 60
40	1, 40	40	40	1
A1	41			2
A3				
45	133			3
52				4
25				
2	44			
42			25	
27		2		112
50	137	137		
48		50		
19	25	25	107, 131	102
46	131			
23	23			
3	3, 42	3, 42	3	107
44	138		138	
26	2		2	
20	20			
153			153	
158	158			158
159				159, 160, 161
30				
4	4	4	4	
66				
65	9			
7	154		154	110
9	10	46	46	163
31	5			
29		9		
47				154
39		32		
162				162
12	12	12		
49	140			
11	11			



FOUR GROUPS OF PROFILES TO ANSWER DIFFERENT PURPOSES



DILATATION PROFILES FLOOR AT THE SAME LEVEL

They are used to connect floors at the same level. You can connect with them any type of floor, e.g. vinyl click floors with a ceramic tiles. A wide range of colors allows you to match color to any floors. You can also choose a profile in silver or titanium.



LEVELING PROFILES FLOORS AT DIFFERENT LEVELS

They are used to connect floors with different level. The differences are usually small, several millimetres, however, to aesthetically eliminate them it is necessary to choose the right profile.

SYMBOLS



MAX DILATATION: __MM

This information shows maximum gap between floors, that particular profile can cover. For floor dilatation – look floor producers recommendations.



SUPER FLAT

From designer's point of view, best profile is the flattest and smoothest one. Arbiton delivers new, extra flat solution, perfect even for the most demanding clients.




MAX LEVELING: __MM

This information shows maximum height difference between floors, that particular profile can cover. When calculating the height, always count the whole flooring system – floor + underlay/glue.



SILICONE BARRIER

Silicone layer added to all Arbiton screw fix profiles, to protect against dirt getting under the profile.



FINISHING PROFILES

They are used to finish the floors, mask the dilatation gap, in places where it is not covered eg by skirting board. Ideal to finish the floor next to balcony doors or entrances.



STAIRS PROFILES

They are used to finish the edges of stairs. Some profiles of this type have an additional layer non-slip layer to ensure additional walking safety.



PROFI SOLUTION

Profiles for the most demanding clients. Professional assembly systems, narrow and extra flat solutions.




DILATATION GLUE

Special hot melt glue formula. Floor profile stays strongly fitted but allows the floor to expand and contract.

COLOR SYSTEM

THE MOST UNIVERSAL SYSTEM OF FLOOR PROFILES



CS30



CS37



CS22




CS25



ADDITIONAL ACCESSORIES INCLUDED WITH CS37 AND CS30


MOUNTING DOWELS

- Quick and safe assembly




CONNECTOR

- To connect two or more profiles
- Simple installation
- Bigger stability of the profile connection



BRIDGE





- The bridge allows to finish the floor next to the wall or balcony doors
- Stable support of the profile next to the wall
- Adjustable height height – possibility to match up to 4-22 mm by cutting the bridge
- Quick and simple installation – just slide the bridge into the profile



CS30



DIMENSIONS





12 pcs


CS37

5IN1
COLOR
SYSTEM
UNIVERSAL







MAX
DILATATION
31 mm

MAX
LEVELING
17 mm






DIMENSIONS



EXTRA COLOR



A2
0,93 m 5905167769256





12 pcs

CS22



DIMENSIONS





2
1,86 m 5905167815519



3
1,86 m 5905167815526



4
1,86 m 5905167815533



7
1,86 m 5905167815540



9
1,86 m 5905167815557



11
1,86 m 5905167815564



12
1,86 m 5905167815571



19
1,86 m 5905167815601



20
1,86 m 5905167815618



23
1,86 m 5905167815625



25
1,86 m 5905167815632



26
1,86 m 5905167815649



27
1,86 m 5905167815656



29
1,86 m 5905167815663



30
1,86 m 5905167815670



31
1,86 m 5905167815687



39
1,86 m 5905167815704



42
1,86 m 5905167816738



44
1,86 m 5905167816752



45
1,86 m 5905167816769



46
1,86 m 5905167816776



47
1,86 m 5905167816783



48
1,86 m 5905167816790



49
1,86 m 5905167816806



50
1,86 m 5905167816813



65
1,86 m 5905167839096



66
1,86 m 5905167839102



153
1,86 m 5905167839119




158
1,86 m 5905167839126




159
1,86 m 5905167839133



162
1,86 m 5905167839140



40
1,86 m 5905167815717



52
1,86 m 5905167824337



A1
1,86 m 5905167815496





A3
1,86 m 5905167815502

 12 pcs

CS25



DIMENSIONS





2

1,20 m	5905167824368
2,00 m	5905167824702



3

1,20 m	5905167824375
2,00 m	5905167824719



4

1,20 m	5905167824382
2,00 m	5905167824726



7

1,20 m	5905167824399
2,00 m	5905167824733



9

1,20 m	5905167824405
2,00 m	5905167824740



11

1,20 m	5905167824412
2,00 m	5905167824757



12

1,20 m	5905167824429
2,00 m	5905167824764



19

1,20 m	5905167824450
2,00 m	5905167824795



20

1,20 m	5905167824467
2,00 m	5905167824801



23

1,20 m	5905167824474
2,00 m	5905167824818



25

1,20 m	5905167824481
2,00 m	5905167824825



26

1,20 m	5905167824498
2,00 m	5905167824832



27

1,20 m	5905167824504
2,00 m	5905167824849



29

1,20 m	5905167824511
2,00 m	5905167824856



30

1,20 m	5905167824528
2,00 m	5905167824863



31

1,20 m	5905167824535
2,00 m	5905167824870



39

1,20 m	5905167824559
2,00 m	5905167824894



42

1,20 m	5905167824580
2,00 m	5905167824924



44

1,20 m	5905167824603
2,00 m	5905167824948



45

1,20 m	5905167824610
2,00 m	5905167824955



46

1,20 m	5905167824627
2,00 m	5905167824962



47

1,20 m	5905167824634
2,00 m	5905167824979



48

1,20 m	5905167824641
2,00 m	5905167824986



49

1,20 m	5905167824658
2,00 m	5905167824993



50

1,20 m	5905167824665
2,00 m	5905167825006



65

1,20 m	5905167839157
2,00 m	5905167839218



66

1,20 m	5905167839164
2,00 m	5905167839225



153

1,20 m	5905167839171
2,00 m	5905167839232



158

1,20 m	5905167839188
2,00 m	5905167839249



159

1,20 m	5905167839195
2,00 m	5905167839256



162

1,20 m	5905167839201
2,00 m	5905167839263



40

1,20 m	5905167824566
2,00 m	5905167824900



52

1,20 m	5905167824672
2,00 m	5905167825013



A1

1,20 m	5905167824344
2,00 m	5905167824689




A3

1,20 m	5905167824351
2,00 m	5905167824696

PRO SYSTEM


Professional solutions has never been so easy.

This offer is for the most demanding customers. If you are looking for a professional solution at its best style, the PRO SYSTEM offer includes precise and elegant solutions of the most common problems.




PRO20

DILATATION
OR FINISHING



PRO T

DILATATION



PRODUO 22

CONNECTION
WITH CARPET




PRO26

LEVELING
UP TO 6MM



In PRO SYSTEM you will find the perfect masking of 10mm vinyl click floors dilatation or aesthetic connection of a hard floor with a carpet.
8 selected shapes - Professional solutions has never been so easy.



PRO38
LEVELING
UP TO 16MM

▪ connecting floors with high level difference



PRODUO38
LEVELING
FLOORS

▪ connection of the hard floor with carpets with a large difference in levels
▪ two-parts solid installation system
▪ assembly on glue or screws



PRO L
FINISHING

▪ finishing at the balcony door or furniture bases
▪ glue assembly





PRO S
PERFECT FOR
VINYL FLOORS

PRO20



DIMENSIONS




COLORS



B1

0,93 m 5905167800911

1,86 m 5905167800942


 12 pcs



B3



0,93 m 5905167800935

1,86 m 5905167800966

 12 pcs



DIMENSIONS



COLORS



B1

0,93 m 5905167815458

1,86 m 5905167815472

12 pcs



B3

0,93 m 5905167815465

1,86 m 5905167815489

12 pcs





PRODUO22



MAX
DILATATION
16 mm



DIMENSIONS




COLORS



B1

0,93 m 5905167815106


1,86 m 5905167815120



B3

0,93 m 5905167815113


1,86 m 5905167815137



PRO26



DIMENSIONS




COLORS



B1

0,93 m 5905167800973

1,86 m 5905167801000


 12 pcs



B3

0,93 m 5905167800997

1,86 m 5905167801024

 12 pcs

PRO38




MAX
DILATATION
32 mm

MAX
LEVELING
16 mm

38 mm

GLUE FIX

DIMENSIONS



COLORS



B1

0,93 m 5905167825020

1,86 m 5905167825044

12 pcs



B3

0,93 m 5905167825037

1,86 m 5905167825051


12 pcs

PRODUO38





MAX
LEVELING
16 mm

MAX
DILATATION
32 mm



DIMENSIONS




COLORS



B1

0,93 m 5905167815144


1,86 m 5905167801109



B3

0,93 m 5905167815151

1,86 m 5905167815168



PRO L







MAX
DILATATION
15 mm

20 mm

GLUE FIX

DIMENSIONS




COLORS



B1

0,93 m 5905167801048

1,86 m 5905167801031


 12 pcs



B3

0,93 m 5905167801062

1,86 m 5905167801055


 12 pcs



PRO S1 (INNER)



DIMENSIONS



COLORS



B1

2,00 m

5905167839270

12 pcs



B3

2,00 m

5905167839294

12 pcs

PRO S2 (OUTER)




NEW

PERFECT FOR
VINYL FLOORING
4-5 mm

12 mm

DIMENSIONS



COLORS



B1

2,00 m

5905167839287

12 pcs



B3

2,00 m

5905167839300

12 pcs

COMPLEMENTARY OFFER

DILATATION PROFILES



LEVELING PROFILES



STAIRS PROFILES





T16





MAX
DILATATION
10 mm

16 mm

GLUE

DIMENSIONS





COLORS









12 pcs



DIMENSIONS



COLORS





4 pcs


SM1



DIMENSIONS



COLORS







MAX
DILATATION
24 mm

SILICONE BARRIER
○○○

30 mm

SCREW FIX

DIMENSIONS



COLORS



A1

0,93 m 5906735611175

1,86 m 5906735611205

0,93m: 12 pcs / 1,86m: pcs




A2

0,93 m 5906735611182

1,86 m 5906735611212

0,93m: 12 pcs / 1,86m: pcs



A3

0,93 m 5905167686515

1,86 m 5905167686522

0,93m: 12 pcs / 1,86m: 4 pcs

PR3K





MAX
DILATATION
24 mm




30 mm

GLUE FIX

DIMENSIONS





COLORS



12 / 4 pcs



DIMENSIONS



COLORS



A1

0,93 m 5905167767696

1,86 m 5905167767726

0,93m: 12 pcs / 1,86m: 4 pcs



A2

0,93 m 5905167767702

1,86 m 5905167767733

0,93m: 12 pcs / 1,86m: 4 pcs



A3

0,93 m 5905167767719



1,86 m 5905167767740

0,93m: 12 pcs / 1,86m: 4 pcs
















SM2



DIMENSIONS





COLORS



				
A1	A2	A3	W1	W2
0,93 m 5905167033814	0,93 m 5905167033821	0,93 m 5905167686348	0,93 m 5905167674970	0,93 m 5905167674963
1,86 m 5905167033616	1,86 m 5905167033623	1,86 m 5905167686355	1,86 m 5905167675052	1,86 m 5905167675045
2,79 m 5906735612035	2,79 m 5906735612042	2,79 m 5905167686362	2,79 m 5905167788141	2,79 m 5905167788158
				
W3	W4	W5	W6	W8
0,93 m 5905167674987	0,93 m 5905167768211	0,93 m 5907749015591	0,93 m 5905167684498	0,93 m 5905167684481
1,86 m 5905167675069	1,86 m 5905167768242	1,86 m 5907749015621	1,86 m 5905167684511	1,86 m 5905167684504
2,79 m 905167788165	2,79 m 5905167788172	2,79 m 5905167788189	2,79 m 5905167788196	2,79 m 5905167788202
				
W9	W10	W11	W25	W27
0,93 m 5906735625318	0,93 m 5905167675007	0,93 m 5907749024388	0,93 m 5905167768204	0,93 m 5905167768228
1,86 m 5906735625325	1,86 m 5905167675083	1,86 m 5907749024401	1,86 m 5905167768235	1,86 m 5905167768259
2,79 m 5905167788219	2,79 m 5905167788226	2,79 m 5905167788233	2,79 m 5905167788240	2,79 m 5905167788257



DIMENSIONS



COLORS



PR4



MAX
DILATATION
42 mm



MAX
LEVELING
14 mm

PROFI
SOLUTION

48 mm

SCREW FIX

DIMENSIONS



COLORS



A1

0,93 m 5906735611366

1,86 m 5906735611397

12 / 4 pcs



A2

0,93 m 5906735611373

1,86 m 5906735611403

12 / 4 pcs



A3

0,93 m 5905167686546

1,86 m 5905167686553

12 / 4 pcs

PR10



MAX
DILATATION
64 mm



MAX
LEVELING
10 mm

PROFI
SOLUTION

70 mm

SCREW FIX

DIMENSIONS



COLORS




A1

0,93 m 5905167767788

1,86 m 5905167767818

8/4 pcs



A2

0,93 m 5905167767795

1,86 m 5905167767825

8/4 pcs



A3


0,93 m 5905167767801

1,86 m 5905167767832

8/4 pcs



DIMENSIONS




COLORS

- | | | | | |
|--|---|---|--|---|
| 
A1
1,20 m 5905167769577 | 
A2
1,20 m 5905167769584 | 
A3
1,20 m 5905167769591 | 
01
1,20 m 5905167769607 | 
02
1,20 m 5905167769614 |
| 
03
1,20 m 5905167769621 | 
04
1,20 m 5905167769638 | 
09
1,20 m 5905167769669 | 
26
1,20 m 5905167769782 | 
29
1,20 m 5905167769812 |
| 
30
1,20 m 5905167769829 | 
31
1,20 m 5905167769836 | | | |

 4 pcs



DIMENSIONS




COLORS



A1

1,20 m 5905167767962

 4 pcs




A3


1,20 m 5905167767986

 4 pcs

PS8



DIMENSIONS





COLORS



A1

1,20 m 5905167768020

 4 pcs




A3

1,20 m 5905167768044


 4 pcs



DIMENSIONS





COLORS



A1

1,20 m

5905167768082



A3

1,20 m



5905167768105



ACCESSORIES

SERVICE PACK

The mounting system for the slats from the COLOR SYSTEM series
EAN: 5905167827178



METAL SCREW KIT

set includes 5 metal screws + mounting pins
(universal for the COLOR SYSTEM and PRO SYSTEM series profiles)
EAN: 5905167825068





The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.

CHECK OUR COMPLEMENTARY PRODUCTS:



SKIRTING BOARDS



UNDERLAYS



VINYL FLOOR



Arbiton
FLOOR EXPERT

Decora S.A.
ul. Prądyńskiego 24a
63-000 Środa Wielkop., Polska
tel.: +48 61 28 64 200
fax: +48 61 28 54 975
e-mail: sales@decora.pl
www.arbiton.com